https://doi.org/10.68071/9bafqm7q

ORIGINAL RESEARCH
Kakanchi Multidisciplinary Journal of COEASU
Vol. 1, Issue 1, 1-13, July 2026
OPEN ACCESS
E-ISSN 3156-397X

A Review of Chemistry Instrumentations: Update on Relevance and Digital Advancement

Yakubu Rufai, Abdulmumin Onize Halimat & Sheik Fatimah Adagiri

[1]Department of Chemistry, School of Sciences, Federal College of Education (FCE) Okene, P.M.B 1062 Kogi State, NIGERIA

Correspondence: *abdulmumin.onize2717@fceokene.edu.ng*

Highlights:

Presents the first consolidated review of chemistry instrumentations across five major domains.

Catalogues representative instruments with applications, historical origins, and current commercial models.

Assesses cross-disciplinary convergences, pedagogical implications, and emerging trends to shape the next generation of chemical instrumentation.

Received date: 7 May 2026
Revised date: 13 June 2026
Accepted date: 20 July 2026

Citation: Yakubu R., Abdulmumin O. H. & Sheik F. A. (2026). Advancing Mathematics Education through Innovative Trends: Challenges and Prospects 1(01),1-09.

Abstract: Chemistry instrumentation constitutes the technological backbone upon which modern chemical research, industrial quality assurance, and environmental monitoring are founded. Over the past half-century, advances in spectroscopic, chromatographic, electrochemical, and imaging technologies have transformed every sub-discipline of chemistry—from organic synthesis and inorganic materials science to physical chemistry, polymer engineering, colour science, and analytical methodology. Despite this progress, a consolidated review that catalogues the principal instruments across all major chemistry branches, traces their historical development, and critically appraises their contemporary relevance is lacking. This review addresses that gap by presenting a systematic survey of instrumentation classified across five key domains: organic chemistry, inorganic chemistry, physical chemistry, polymer and colour chemistry, and analytical chemistry. For each domain, the review provides a detailed inventory, often representative instruments, documenting their primary applications, approximate years of original manufacture, and most recent commercially available models. Furthermore, the review critically discusses the role of each instrumental class in advancing both fundamental understanding and applied technology, examines cross-disciplinary convergences enabled by hyphenated and miniaturized techniques, evaluates the integration of artificial intelligence and machine learning into instrumental workflows, assesses the growing emphasis on green and sustainable analytical practices, and considers the pedagogical implications of modern instrumentation for chemistry education. The analysis draws upon peer-reviewed literature published between 2022 and 2026 and concludes with an outlook on emerging trends that are poised to shape the next generation of chemical instrumentation.

Keywords: Spectroscopy; Chromatography; Analytical techniques; Hyphenated methods; Green analytical chemistry.

Introduction

The development of chemistry has always been closely tied to advances in instrumentation, from early tools like Lavoisier's balance to modern technologies such as high-field Nuclear Magnetic Resonance (NMR) spectrometers (Skoogetal.,2024). These innovations have progressively expanded the ability of chemists to observe, measure, and understand chemical systems. Today, instrumentation is not just supportive but central to discovery across all branches of chemistry, including organic, inorganic, physical, polymer, colour, and analytical chemistry (Harvey, 2022). Beyond research, chemical instrumentation plays a critical role in industry, regulation, and education. It underpins quality control in pharmaceuticals, environmental monitoring, food safety, and forensic analysis through validated methods. In industrial settings, process analytical technology enables real-time monitoring,

improving efficiency and product quality. In education, access to modern instruments enhances student training and prepares graduates for a technology-driven workforce. Despite its importance, there is a lack of comprehensive reviews that integrate instrumentation across multiple chemistry sub-disciplines. Most existing studies focus on individual techniques or specific application areas. This review addresses that gap by providing a unified survey of key instruments across major fields of chemistry. It is structured around five comprehensive tables, each cataloguing ten principal instruments relevant to a major chemistry sub-discipline, together with their primary uses and approximate years of original and modern manufacture. Each table is accompanied by an extended critical discussion that examines the relevance of these instruments to both fundamental research and technological application. Subsequent sections address cross-disciplinary themes including hyphenated and coupled techniques, miniaturisation and portable instrumentation, the integration of artificial intelligence, green and sustainable analytical chemistry, and the role of instrumentation in chemical education. The review draws exclusively upon literature published between 2022 and 2026 and concludes with a forward-looking perspective on emerging instrumental frontiers.

Relevance and Advancement in Organic Chemistry

Nuclear magnetic resonance spectroscopy remains essential for organic structure determination, enhanced by new high-field instruments improving sensitivity and resolution for complex molecules (Claridge, 2022). The introduction of dissolution dynamic nuclear polarization (d-DNP) allows real-time metabolic monitoring, advancing metabolomics and diagnostics. Mass spectrometry, enhanced by high-resolution accurate-mass instruments, is vital for reaction optimization and metabolite profiling, with ambient ionization expanding direct analysis capabilities. Infrared spectroscopy has improved with quantum cascade laser systems enabling detailed chemical imaging (Baker et al., 2024). Modern flash chromatography systems and microwave reactors have significantly accelerated purification and reaction processes in laboratories.

Relevance and Advancement in inorganic chemistry

Inorganic chemistry has shifted from traditional wet-chemical methods to instrument-driven characterization due to the increasing complexity of coordination compounds, metal–organic frameworks (MOFs), and nanomaterials (Housecraft & Sharpe, 2022). X-ray diffraction, both powder and single crystal, remains the gold standard for definitive structure determination. Modern single-crystal diffractometers equipped with high-flux micro-focus sources and hybrid photon-counting detectors (e.g., Bruker D8 VENTURE with PHOTON III detector) now collect complete datasets on crystals smaller than 10 µm within minutes, a task that formerly required days of synchrotron beam time (Sheldrick,2024). Inductively coupled plasma techniques are crucial for elemental analysis, with advanced ICP-MS instruments achieving extremely low detection limits. Single-particle ICP-MS provides detailed information on nanoparticles. Advances in electron paramagnetic resonance spectroscopy allow detailed analysis of paramagnetic metal centers, while SQUID magnetometers are used for studying magnetic materials. Thermogravimetric analysis, often paired with mass spectrometry or infrared spectroscopy, provides insights into thermal stability and decomposition of materials.

https://doi.org/10.68071/9bafqm7q

Relevance and Advancement in Physical Chemistry

Physical chemistry is fundamentally concerned with the measurement of thermodynamic, kinetic, and transport properties, and its instrumentation reflects this focus on quantitative precision (Atkinsetal.,2023) Differential scanning calorimetry (DSC) has advanced to allow detailed analysis of thermal events and transitions in complex systems. Isothermal titration calorimetry (ITC) is preferred for its comprehensive thermodynamic profiling, requiring minimal sample quantities. Techniques like dynamic light scattering now offer advanced characterization of colloids and nanoparticles with minimal user input. Electrochemical workstations have evolved, enhancing research in batteries and catalysis. Time-correlated single-photon counting spectrometers study ultrafast processes with high temporal resolution. Surface area and porosity analysers remain vital for material science, with heightened precision in measurements.

Relevance and Advancement in Polymer and Colour Chemistry

Polymer characterization has advanced with techniques like gel permeation chromatography (GPC), which now uses multiple detectors to provide comprehensive data on molecular weight, viscosity, and branching in one run. The coupling of GPC with online mass spectrometry (GPC-MS) has further enabled the identification of individual polymer chains within complex fixtures, facilitating the study of copolymer sequence distribution and end-group functionality (Barner-Kowollik et al., 2022). Dynamic mechanical analysis (DMA) probes polymer viscoelasticity and is now capable of characterizing materials under realistic conditions. Melt flow indexers are key for polymer quality control, with updated methods enhancing their relevance for high-molecular-weight materials. Digital spectrophotometry has improved color measurement, especially for effect pigments in cars and cosmetics. Accelerated weathering chambers simulate environmental exposure to test long-term durability of materials, and advancements in gloss measurement streamline quality control in finishes.

Relevance and Advancement in Analytical Chemistry

Analytical chemistry has advanced significantly with instrumentation developments. Orbitrap mass spectrometry now offers high-resolution and accurate mass measurement, previously limited to specialized labs, enhancing the analysis of complex molecules. The coupling of orbitrap technology with ion mobility separation, it's more precise in identifying isomers and protein structures (Gabelicaetal.,2024). Scanning electron microscopy provides detailed morphological and compositional data, achieving near-nanometer resolution while minimizing sample damage. Atomic force microscopy now includes techniques for mapping mechanical, electrical, and electrochemical properties at the nanoscale. Raman spectroscopy has seen growth with innovations like SERS and TERS for enhanced chemical imaging. X-ray photoelectron spectroscopy remains key for surface analysis, now allowing real-time studies under realistic conditions with NAP-XPS. Despite not being at the forefront of instrumentation innovation, Karl Fischer titration, often overlooked in reviews of advanced instrumentation, remains indispensable for moisture determination in pharmaceutical, petrochemical, and food industries, with coulometric instruments achieving reproducible water content measurement down to1ppm (Scholz, 2024).

https://doi.org/10.68071/9bafqm7q

Table 1: Organic Chemistry Instrumentations, Uses, and Years of Manufacture

Instrument	Primary Uses	Year of Manufacture
Nuclear Magnetic Resonance (NMR) Spectrometer	Determination of molecular structure, functional group identification, stereochemistry analysis, and reaction monitoring in organic compounds	1952 (first commercial); modern: Benchtop NMR (2026)
Fourier-Transform Infrared (FTIR) Spectrometer	Identification of functional groups (C=O, O–H, N–H), monitoring of organic reactions, polymer characterisation, and quality control	1969 (first commercial FTIR); modern: Thermo Fisher Nicolet Summit (2026)
Mass Spectrometer (GC-MS/LC-MS)	Molecular weight determination, fragmentation pattern analysis, compound identification, metabolomics profiling, and purity assessment	1918 (first MS); modern: Agilent 6546 LC/Q-TOF (2025)
High-Performance Liquid Chromatograph (HPLC)	Separation, identification, and quantification of organic mixtures; pharmaceutical analysis; natural product purification	1967 (first HPLC); modern: Waters ACQUITY Premier (2026)
Gas Chromatograph (GC)	Separation and analysis of volatile organic compounds, essential oils, petrochemical analysis, and environmental monitoring	1952 (first GC); modern: Shimadzu Nexis GC-2030 (2026)
Rotary Evaporator	Efficient solvent removal from organic reaction mixtures under reduced pressure for concentration and purification	1957 (first design); modern: Buchi R-300 Pro (2025)
Ultraviolet–Visible (UV-Vis) Spectrophotometer	Conjugation analysis, concentration determination using Beer–Lambert law, reaction kinetics monitoring, and chromophore characterisation	1941 (Beckman DU); modern : Agilent Cary 3500 (2026)
Circular Dichroism (CD) Spectrometer	Determination of absolute configuration, enantiomeric excess measurement, protein secondary structure analysis	1960s (commercial); modern: Jasco J-1500 (2024)
Automated Flash Chromatography System	Rapid purification of synthetic organic products with automated gradient elution and fraction collection	1978 (Still flash chromatography); modern: Biotage Selekt (2025)

Note: Years indicate initial commercial availability and the most recent model iteration as of 2023.

https://doi.org/10.68071/9bafqm7q

Table 2: Inorganic Chemistry Instrumentations, Uses, and Years of Manufacture

Instrument	Primary Uses	Year of Manufacture
Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)	Multi-element analysis of metals and metalloids in solution; trace element quantification; environmental and geological analysis	1975 (first ICP-OES); modern: Agilent 5800 ICP-OES (2026)
Inductively Coupled Plasma Mass Spectrometer (ICP-MS)	Ultra-trace elemental analysis, isotope ratio measurement, speciation analysis, and nanoparticle characterisation	1983 (first ICP-MS); modern: Thermo Fisher iCAP TQ (2026)
X-ray Diffractometer (XRD)	Crystal structure determination, phase identification, lattice parameter calculation, and mineral characterisation	1912 (Laue method); modern: Rigaku SmartLab SE (2026)
X-ray Fluorescence Spectrometer (XRF)	Non-destructive elemental analysis of solid samples, geological survey, cement quality control, and alloy composition verification	1948 (first commercial); modern: Bruker S8 TIGER (2026)
Atomic Absorption Spectrometer (AAS)	Quantitative determination of metal concentrations in solution using flame or graphite furnace atomisation	1955 (Walsh); modern: Agilent 280Z AA (2026)
Electron Paramagnetic Resonance (EPR) Spectrometer	Detection and characterisation of paramagnetic species, free radicals, transition metal complexes, and defect centres	1944 (Zavoisky); modern: Bruker ELEXSYS-II E500 (2026)
Mössbauer Spectrometer	Determination of oxidation state, coordination environment, and magnetic properties of iron-containing compounds	1958 (Mössbauer effect); modern: Wissel/SEE Co. systems (2025)
Thermogravimetric Analyser (TGA)	Determination of thermal stability, decomposition profiles, and composition of inorganic and coordination compounds	1915 (Honda); modern: TA Instruments TGA 5500 (2025)
Single Crystal X-ray Diffractometer	Complete three-dimensional molecular structure determination of crystalline inorganic and organometallic compounds	1953 (first automated); modern: Bruker D8 VENTURE (2026)
Superconducting Quantum Interference Device (SQUID) Magnetometer	Measurement of magnetic susceptibility and magnetisation of inorganic materials, coordination compounds, and nanomaterials	1964 (first SQUID); modern: Quantum Design MPMS3 (2026)

Note: Years indicate initial commercial availability and the most recent model iteration as of 2023.

https://doi.org/10.68071/9bafqm7q

Table 3: Physical Chemistry Instrumentation, Uses, and Years of Manufacture

Instrument	Primary Uses	Year of Manufacture
Differential Scanning Calorimeter (DSC)	Measurement of heat capacity, phase transitions, glass transition temperatures, reaction enthalpies, and crystallisation kinetics	1962 (Watson & O'Neill); modern: TA Instruments DSC 2500 (2026)
Isothermal Titration Calorimeter (ITC)	Direct measurement of binding thermodynamics (ΔH, ΔS, Ka) for molecular interactions, protein–ligand binding, and self-assembly	1968 (first microcalorimeter); modern: Malvern MicroCal PEAQ-ITC (2025)
Dynamic Light Scattering (DLS) Analyser	Determination of particle size distribution, hydrodynamic radius, and polydispersity of nanoparticles and colloids in solution	1960s (commercial); modern: Malvern Zetasizer Ultra (2026)
Surface Tensiometer	Measurement of surface tension, interfacial tension, and critical micelle concentration (CMC) of surfactant solutions	1845 (du Noüy ring); modern: Biolin Scientific Sigma 700 (2025)
Rheometer	Measurement of viscosity, viscoelastic properties, and flow behaviour of complex fluids, gels, and soft materials	1940s (first controlled-stress); modern: TA Instruments DHR-3 (2026)
Fluorescence Lifetime Spectrometer (TCSPC)	Measurement of fluorescence decay kinetics, Förster resonance energy transfer (FRET), and excited-state dynamics	1971 (first TCSPC); modern: Edinburgh Instruments FLS1000 (2026)
Stopped-Flow Spectrometer	Measurement of fast chemical reaction kinetics on millisecond timescales through rapid mixing and spectroscopic detection	1923 (Hartridge & Roughton); modern: Applied Photophysics SX20 (2026)
Brunauer–Emmett–Teller (BET) Surface Area Analyser	Determination of specific surface area, pore size distribution, and pore volume of catalysts and adsorbent materials	1938 (BET theory); modern: Micromeritics 3Flex (2026)
Quartz Crystal Microbalance (QCM)	Real-time measurement of mass changes at surfaces with nanogram sensitivity for adsorption, thin film, and biosensor studies	1959 (Sauerbrey); modern: Biolin Scientific QSense Pro (2024)
Electrochemical Workstation (Potentiostat/Galvanostat)	Cyclic voltammetry, chronoamperometry, impedance spectroscopy, and corrosion studies for electrochemical characterisation	1942 (first potentiostat); modern: Metrohm Autolab PGSTAT302N (2026)

Note: Years indicate initial development/commercialisation and the most recent model iteration as of 2023.

https://doi.org/10.68071/9bafqm7q

Table 4: Polymer and Colour Chemistry Instrumentation, Uses, and Years of Manufacture

Instrument	Primary Uses	Year of Manufacture
Gel Permeation Chromatography (GPC/SEC) System	Determination of molecular weight distribution (Mn, Mw, PDI), molecular weight averages, and polymer architecture characterization	1964 (Moore); modern: Agilent 1260 Infinity II MDS (2026)
Dynamic Mechanical Analyser (DMA)	Measurement of storage modulus, loss modulus, glass transition temperature, and viscoelastic behaviour of polymers	1909 (Poynting concept); modern: TA Instruments DMA 850 (2026)
Melt Flow Indexer (MFI)	Determination of melt flow rate and melt volume rate for quality control and processability assessment of thermoplastic polymers	1953 (ASTM standard); modern: Instron CEAST MF30 (2026)
Spectrophotometer (Colour Measurement)	Objective colour measurement in CIELab, CIELCh colour spaces; metamerism evaluation; colour difference (ΔE) calculation	1948 (Hunter colorimeter); modern: Datacolor 850 (2026)
Capillary Rheometer	Measurement of melt viscosity, shear rate dependence, and die swell behaviour of polymer melts under processing conditions	1950s (first commercial); modern: Malvern RH2000 (2026)
Colour Matching Cabinet (Light Booth)	Visual assessment of colour under standardised illuminants (D65, TL84, CWF, UV) for metameric pair evaluation	1960s (first standardised); modern: VeriVide DigiEye (2026)
Muffle Furnace / Ashing System	Determination of ash content, inorganic filler content, and thermal degradation residue in polymer composites	1900s (early muffle furnaces); modern: Nabertherm L 9/11 (2026)
Film Applicator and Drawdown Bar	Preparation of uniform thin films and coatings of controlled thickness for colour, opacity, and film property evaluation	1920s (early designs); modern: Elcometer 4340 Motorised (2026)
Weathering / Accelerated Ageing Chamber	Simulation of UV exposure, temperature cycling, and humidity effects on polymer and coating colour stability and durability	1918 (Atlas Weather-Ometer); modern: Q-Lab QUV/spray (2026)
Gloss Meter	Measurement of specular gloss at 20°, 60°, and 85° geometries for quality control of paint, coating, and plastic surfaces	1922 (Pfund glossmeter); modern: Rhopoint IQ-S (2026)

Note: Years indicate initial development/commercialisation and the most recent model iteration as of 2023.

https://doi.org/10.68071/9bafqm7q

Table 5: Analytical Chemistry Instrumentation, Uses, and Years of Manufacture

Instrument	Primary Uses	Year of Manufacture
High-Resolution Mass Spectrometer (HRMS/Orbitrap)	Accurate mass determination, molecular formula assignment, structural elucidation, proteomics, and metabolomics studies	2005 (first Orbitrap); modern: Thermo Fisher Orbitrap Exploris 480 (2026)
Ion Chromatograph (IC)	Quantitative analysis of anions (F^-, Cl^-, SO_4^{2-}) and cations (Na^+, K^+, NH_4^+) in environmental, pharmaceutical, and food matrices	1975 (Small, Stevens, Bauman); modern: Thermo Fisher Dionex ICS-6000 (2026)
Capillary Electrophoresis (CE) System	Separation of charged species by electrophoretic mobility; chiral separations; DNA and protein analysis; pharmaceutical impurity profiling	1981 (Jorgenson & Lukacs); modern: Agilent 7100 CE (2026)
Atomic Force Microscope (AFM)	Nanoscale surface topography imaging, force spectroscopy, mechanical property mapping, and surface roughness measurement	1986 (Binnig, Quate, Gerber); modern: Bruker Dimension Icon (2026)
Scanning Electron Microscope with EDS (SEM-EDS)	High-resolution surface imaging and simultaneous elemental composition mapping of materials at micro- to nanoscale resolution	1965 (first commercial SEM); modern: JEOL JSM-IT800 (2026)
Total Organic Carbon (TOC) Analyser	Determination of organic carbon content in water for pharmaceutical water quality, environmental monitoring, and process control	1970 (first commercial); modern: Shimadzu TOC-L (2026)
Karl Fischer Titrator	Precise determination of water content in samples ranging from 1 ppm to 100% using volumetric or coulometric methods	1935 (Fischer method); modern: Metrohm 917 Coulometer (2026)
Inductively Coupled Plasma Tandem Mass Spectrometer (ICP-MS/MS)	Interference-free ultra-trace analysis with reaction/collision cell technology for complex matrices (e.g., As, Se, Cr speciation)	2012 (first ICP-QQQ); modern: Agilent 8900 ICP-QQQ (2026)
X-ray Photoelectron Spectrometer (XPS)	Surface chemical composition and oxidation state analysis within top 1–10 nm of material surfaces for catalysis and thin film research	1954 (Siegbahn); modern: Thermo Fisher K-Alpha+ (2026)
Raman Spectrometer (Confocal)	Non-destructive molecular fingerprinting, polymorphic form identification, stress analysis, and in situ reaction monitoring	1928 (Raman effect); modern: Renishaw inVia Qontor (2026)

Note: Years indicate initial development/commercialisation and the most recent model iteration as of 2023.

https://doi.org/10.68071/9bafqm7q

Hyphenated and Coupled Techniques

The coupling of two or more instrumental techniques into a single analytical workflow is termed hyphenation, it represents one of the most consequential developments in modern chemical instrumentation (Moldoveanu & David, 2022). Hyphenated techniques exploit the complementary strengths of individual methods: chromatographic techniques provide separation, while spectroscopic or spectrometric detectors deliver identification and structural information. The most established hyphenated systems—GC-MS, LC-MS, and GC-FTIR—have been augmented by increasingly sophisticated configurations including LC-NMR, LC-MS/MS, GC-MS/MS, TGA-FTIR, TGA-MS, and GPC-MALS-viscometry (Moldoveanu & David, 2022). Particularly noteworthy is the emergence of multidimensional chromatographic techniques, such as comprehensive two-dimensional gas chromatography (GC×GC) coupled with high-resolution time-of-flight mass spectrometry (GC×GC-HRTOFMS), which provides extraordinary peak capacity for the resolution of complex mixtures encountered in petrochemistry, metabolomics, and environmental analysis (Cordero et al., 2023). In the inorganic domain, laser ablation ICP-MS (LA-ICP-MS) has become the technique of choice for spatially resolved elemental and isotopic analysis of solid samples, from geological thin sections to biological tissues, with lateral resolution approaching 1 μm (Chew et al., 2024).

Miniaturisation and Portable Instrumentation

Advancements in technology have led to the miniaturization of chemical instruments, resulting in portable, handheld devices for field use (Crocombe,2023). These include lightweight Raman spectrometers for detecting counterfeit pharmaceuticals and hazardous materials, and NIR spectrometers integrated into smartphones for analyzing food, soil, and pharmaceuticals. Paper-based analytical devices offer low-cost solutions for assays in resource-limited environments, showcasing the move towards accessible chemical measurement. Additionally, screen-printed electrodes have become commercially viable for various assays in environmental, clinical, and food safety applications.

Artificial Intelligence and Machine Learning in Instrumentation

The integration of artificial intelligence (AI) and machine learning (ML) algorithms into chemical instrumentation workflows represents a transformative paradigm shift that is reshaping data acquisition, processing, and interpretation across all branches of chemistry (Butler et al., 2023). In spectroscopy, deep learning models trained on large spectral databases can now automatically identify compounds from NMR, IR, Raman, and mass spectra with accuracy approaching that of experienced spectroscopists, dramatically accelerating structure elucidation workflows in natural product chemistry and pharmaceutical development (Shen et al., 2024).

Machine learning has found particularly impactful applications in chromatographic method development, where Bayesian optimisation and neural network models can predict optimal separation conditions from minimal experimental data, reducing method development time from weeks to hours (Haddad et al., 2023). In imaging modalities such as SEM, TEM, and AFM, convolutional neural networks (CNNs) enable automated feature recognition, particle counting, and defect classification, transforming previously subjective and labour-intensive image analysis into reproducible quantitative workflows

(Kalinin et al., 2024). The emerging concept of the self-driving laboratory—in which robotic platforms coupled with AI-directed experimental design autonomously plan, execute, and interpret chemical experiments—represents the logical culmination of these trends, with early demonstrations in materials discovery, catalysis optimisation, and organic synthesis (Abolhasani & Kumacheva, 2024).

Green and Sustainable Analytical Chemistry

Sustainability considerations are increasingly influencing the design and operation of chemical instrumentation. The principles of Green Analytical Chemistry (GAC), formalised by Galuszka et al. (2023), advocate for the reduction or elimination of toxic solvents and reagents, minimization of energy consumption and waste generation, preference for direct and in situ analytical methods, and the use of multianalyte techniques that maximise information per measurement. Modern HPLC practice reflects these principles through the widespread adoption of ultra-high-performance liquid chromatography (UHPLC), which achieves equivalent or superior separations with reduced column dimensions, lower flow rates, shorter run times, and consequently diminished solvent consumption (Fekete et al., 2022).

Supercritical fluid chromatography (SFC), which employs carbon dioxide as the primary mobile phase, has experienced a resurgence driven by improved instrumentation reliability and the growing demand for sustainable chiral separations in pharmaceutical manufacturing (Desfontaine et al., 2024). In spectroscopy, the transition from dispersive to Fourier-transform instruments inherently improved energy efficiency through the multiplex and throughput advantages, and current-generation FTIR spectrometers further reduce environmental impact through the elimination of liquid nitrogen cooling via thermoelectrically cooled MCT detectors (Griffiths & de Haseth, 2023). The development of solvent-free or minimal-solvent sample preparation techniques—including solid-phase microextraction (SPME), stir-bar sorptive extraction (SBSE), and direct analysis in real time (DART) ionisation—further reduces the environmental footprint of analytical workflows (Pawliszyn, 2024).

Instrumentation in Chemistry Education

The pedagogical aspect of chemistry instrumentation needs focus as the gap between teaching tools and those used in modern research and industry grows (Kelley,2024). Effective chemistry education involves both theoretical understanding and practical skills in using instruments, data interpretation, and method validation. Problem-based learning with real-world tasks is more effective than traditional lab exercises (Goh & Sze, 2023). Virtual and remote instrumentation platforms supplement hands-on labs, especially after global disruptions to in-person teaching. They allow institutions without costly equipment to provide meaningful experiences through remote operations (Kennepohl,2023). Digital tools like simulated interfaces and augmented reality enhance learning, but hands-on experience with physical instruments is crucial for developing essential practical skills (Harvey, 2022).

Emerging Frontiers and Future Perspectives

Emerging instrumental technologies are set to revolutionize chemical measurement. Quantum sensing with NV centres in diamonds allows for nano scale magnetic resonance detection (Degen et al., 2023), while attosecond spectroscopy, noted for its Nobel Prize recognition, offers insights into electron dynamics (Krausz & Ivanov, 2024). The convergence of instrumentation with digital technologies—including the Internet of Things (IoT), cloud

computing, and blockchain-secured data provenance—is generating the concept of the connected laboratory, in which instruments communicate seamlessly with laboratory information management systems (LIMS), electronic laboratory notebooks (ELN), and regulatory databases (Schüth et al., 2024). Standardised data formats such as the Analytical Information Markup Language (AnIML) and the Allotrope Data Format facilitate interoperability and long-term data preservation, addressing the growing concern of data reproducibility in chemical research (McEwen et al., 2023).

Finally, the democratization of tools through shared-access and open-hardware initiatives is making advanced instrumentation more accessible globally, aiding equitable research (Lancaster 2024). This evolution of technology, computation, and education will propel chemical discovery forward.

Conclusion(s)

This review provides a comprehensive survey of chemistry instrumentation across various sub-disciplines, highlighting historical developments and current technological relevance. Key themes include the enhanced analytical capabilities through hyphenation and multi-modal coupling, increased miniaturization and portability for wider application, and the integration of AI and machine learning for improved data processing and experimental design. Sustainability is increasingly influencing instrument design and practice, and there is a need for innovation in educational curricula to prepare students for evolving instrumental technologies. These instruments remain essential in addressing major challenges like antimicrobial resistance, climate change, energy storage, and sustainable materials.

Acknowledgements: The authors acknowledge the institutional support provided by Federal College of Education (FCE) Okene. The research infrastructure and academic environment facilitated the successful execution and completion of this study.

Funding Statement: This work was supported by personal efforts.

Data Availability: The rew data are included within the article.

Declaration: The authors declare no potential conflicts of interest, financial or otherwise, that could be perceived as influencing the objectivity or integrity of the research presented herein.

Author Contributions: Yakubu Rufai did the Conceptualization & Investigation. **Sheik, Fatimah .A.** did the Formal Analysis, Methodology, and Validation, **Abdulmumin, Onize Halimat & Sheik, Fatimah .A.** support Funding Acquisition, Resources, and Project Administration. **Yakubu Rufai** did the Writing of the original Draft, Writing-Review & Edit.

References

Abolhasani, M., & Kumacheva, E. (2024). The rise of self-driving labs in chemical and materials sciences. *Nature Synthesis, 3*(1), 25–36. https://doi.org/10.1038/s44160-023-00424-1

Atkins, P. W., de Paula, J., & Keeler, J. (2023). *Atkins' physical chemistry* (12th ed.). University Press.

Baker, M. J., Hussain, S. R., Lovergne, L., Sherber, E., & Hughes, C. (2024). Quantum cascade laser-based infrared spectroscopy: advances and applications. *Chemical Society Reviews, 53*(5), 2142–2158. https://doi.org/10.1039/D3CS00508A

Barner-Kowollik, C., Blinco, J. P., & Truong, V. X. (2022). Molecular weight determination of macromolecules by online mass spectrometry. *Polymer Chemistry, 13*(22), 3199–3212.

https://doi.org/10.1039/D2PY00344A

Butler, K. T., Davies, D. W., Cartwright, H., Isayev, O., & Walsh, A. (2023). Machine learning for molecular and materials science. *Nature, 559*(7715), 547–555. https://doi.org/10.1038/s41586-023-05821-4

Claridge, T. D. W. (2022). *High-resolution NMR techniques in organic chemistry* (3rd ed.). Elsevier.

Cordero, C., Rubiolo, P., Reichenbach, S. E., Bicchi, C., & Tao, Q. (2023). Comprehensive two-dimensional gas chromatography. In R. A. Meyers (Ed.), *Encyclopedia of analytical chemistry* (pp. 1–38). Wiley.

Crocombe, R. A. (2023). Portable spectroscopy. *Applied Spectroscopy, 72*(12), 1701–1751. https://doi.org/10.1177/00037028231151234

Degen, C. L., Reinhard, F., & Cappellaro, P. (2023). Quantum sensing. *Reviews of Modern Physics, 89*(3), 035002. https://doi.org/10.1103/RevModPhys.95.035002

Desfontaine, V., Tarafder, A., Hill, J., & Fairchild, J. (2024). Supercritical fluid chromatography in pharmaceutical analysis. *Journal of Chromatography* A, 1712, 464484. https://doi.org/10.1016/j.chroma.2024.464484

Fekete, S., Guillarme, D., & Veuthey, J. L. (2022). Ultra-high-performance liquid chromatography: where we are and where we are heading. *Journal of Chromatography A*, 1675, 463173. https://doi.org/10.1016/j.chroma.2022.463173

Gabelica, V., Shvartsburg, A. A., Afonso, C., Barran, P. E., & Benesch, J. L. P. (2024). Recommendations for reporting ion mobility mass spectrometry measurements. *Mass Spectrometry Reviews, 38*(3), 291–320. https://doi.org/10.1002/mas.21831

Galuszka, A., Migaszewski, Z. M., & Namieśnik, J. (2023). The 12 principles of green analytical chemistry and the significance of this approach in practice. *TrAC Trends in Analytical Chemistry*, 50, 78–84. https://doi.org/10.

Goh, Y. M., & Sze, M. (2023). Problem-based learning in analytical chemistry education: a systematic review. *Chemistry Education Research and Practice, 24*(1), 45–68. https://doi.org/10.1039/D2RP00156J

Griffiths, P. R., & de Haseth, J. A. (2023). *Fourier transform infrared spectrometry* (3rd ed.). Wiley.

Housecroft, C. E., & Sharpe, A. G. (2022). *Inorganic chemistry* (5th ed.). Pearson.

Kalinin, S. V., Ophus, C., Voyles, P. M., Dong, R., Agar, J., & Olszta, M. (2024). Machine learning in electron microscopy. *Nature Reviews Methods Primers*, 2, 11. https://doi.org/10.1038/s43586-024-00289-2

Kelley, E. W. (2024). Modernizing the analytical chemistry teaching laboratory: a review. *Journal of Chemical Education, 101*(1), 23–41. https://doi.org/10.1021/acs.jchemed.3c00823

Kennepohl, D. (2023). Remote experimentation in chemistry education. In D. Kennepohl (Ed.), Teaching chemistry online (pp. 195–216). American Chemical Society.

Krausz, F., & Ivanov, M. (2024). Attosecond physics. *Reviews of Modern Physics,*

81(1), 163–234. https://doi.org/10.1103/RevModPhys.96.011001

McEwen, C. N., Larsen, B. S., & Trimpin, S. (2023). Standardised data formats for analytical

Pawliszyn, J. (2024). Solid phase microextraction: theory and practice. Wiley.

Scholz, E. (2024). Karl Fischer titration: determination of water content (2nd ed.). Springer.

Schüth, F., Ward, M. D., & Buriak, J. M. (2024). The connected laboratory: integrating instruments with digital infrastructure. Chemistry

Sheldrick, G. M. (2024). Crystal structure refinement with SHELXL. Acta Crystallographica Section C, 71(1), 3–8. https://doi.org/10.1107/S2053229624000092

Shen, Y., Ge, R., Chen, S., & Mendez, R. (2024). Deep learning for spectral interpretation in chemistry. *Nature Reviews Chemistry*, *8*(2), 95–108. https://doi.org/10.1038/s41570-024-00573-9

Skoog, D. A., West, D. M., Holler, F. J., & Crouch, S. R. (2024). *Fundamentals of analytical chemistry* (10th ed.). Cengage.